## Datasheet and description



# Avide Outdoor Wall Lamp Dena LED 12W WW IP54

**Product code:** AOLW12WW-DENA

Brand link: QR code:

**ID:** AB-190518 **Date of issue:** 2025-08-08

**Company name:** Bramcke Hungary Kft.

Company address: Kishatár utca 17., 4031 Debrecen Page: 1/3

#### **SPECIFICATIONS**

EAN code: 5999097937229

Warranty: 2year(s)

Working temperature:

Packaging: 1/b 12/c 864/p

Certifications:

### **TECHNICAL DETAILS**

Wattage: 12W

Voltage: 220-240V

Beam angle:

Dimmability:

Lumen output: 974lm

Color temperature: 3 000K

Lifetime: 25 000h

Energy class: G

Type of LED:

Driver:

CRI: 80
IP standard: IP54

### **BOX PICTURE**



## Datasheet and description



# Avide Outdoor Wall Lamp Dena LED 12W WW IP54

**Product code:** AOLW12WW-DENA

Brand link: QR code:

**ID:** AB-190518 **Date of issue:** 2025-08-08

**Company name:** Bramcke Hungary Kft.

**Company address:** Kishatár utca 17., 4031 Debrecen **Page:** 2/3

#### **PRODUCT SIZE**

Width: 66mm Height: 176mm

Depth:

#### **CARDBOARD BOX**

EAN: 5999097937229 Packaging: 1/b 12/c 864/p

Dimensions:

Net weight: 583g Gross weight: 600g

#### **CARTON**

EAN: 5999097937236 Packaging: 1/b 12/c 864/p

Dimensions:

Net weight: 6.996kg
Gross weight: 7.2kg

## **PALLET EXAMPLE**

Height:

Width: 120cm (std Euro pallet)

Mepth: 80cm (std Euro pallet)

Cartons per pallet: 72carton/pallet

Cartons per row:

Net weight: 503.712kg
Gross weight: 518.4kg

### **PRODUCT PICTURE**



### **PRODUCT OUTLINE**

## Datasheet and description



## Avide Outdoor Wall Lamp Dena LED 12W WW IP54

**Product code:** AOLW12WW-DENA

Brand link: QR code:

**ID:** AB-190518 **Date of issue:** 2025-08-08

**Company name:** Bramcke Hungary Kft.

Company address: Kishatár utca 17., 4031 Debrecen Page: 3/3

#### PRODUCT DESCRIPTION

The Avide SMD LED floodlights can provide the same brightness as traditional halogen lights but with a much lower power consumption, thus significant savings can be realized with their use. LED floodlights provide up to 20 times longer lifetime compared to products using traditional light bulbs. With their IP65 classification, they are also perfectly suitable for outdoor use. The edge of the floodlight features a movable metal frame, thus you can fix it on the ground, the wall or even the ceiling. After mounting, the angle can be adjusted anytime, thus it will provide the light you need exactly where you need it.

The LED floodlights are sold with a 30 cm long cable end and the plug is not included in the package! The product may only be installed by a professional! Any operation with the power on carries the hazard of an electric shock.

The Avide SMD floodlights are available in neutral white (NW) / cold white (CW) color temperatures in 10W / 20W / 30W / 50W power output versions, as well as in a neutral white (NW) color temperature and a 100W / 150W / 200W power output.